

**SIDHE PETROCHEMICALS PRIVATE LIMITED**

R.S. No. 445,446/1,446/2,448,449, Village Bhimasar,
Taluka Anjar, District Kutch, 370240, Gujarat.

CERTIFICATE OF ANALYSIS

REPORT NO. **SPPL/BM/PB/0067** DATE **01.05.2025**

PRODUCT NAME **SH 40**
QUANTITY **02 X 500 ML**
REFERENCE NO **067/2025**
CUSTOMER NAME **PETROMIX**
PLACE **DELHI**

S.NO	CHARACTERISTICS	UNIT	TEST METHOD	SPECIFICATION	TEST RESULT
1	APPEARANCE@ 20°C	-	VISUAL	BRIGHT & CLEAR	BRIGHT & CLEAR
2	DENSITY @ 29.5 °C	g/ml	ASTD D1298	0.750 Max	0.735
3	COLOR, Saybolt		ASTM D 156	30 Max	30
4	FLASH POINT	deg C	ASTM D 93	Min 40	46
5	IBP	deg C	ASTM D 86	150 Min.	161
6	FBP	deg C	ASTM D 86	330 Max	315
7	KIN.VISCOSITY @ 40 °C	mm ² /s	ASTM D 445	Report	1.10
8	DRY POINT	deg C	ASTM D 86	300 Max	292
9	SULPHUR	ppm	ASTM D3120	3.0 Max	< 3.0
10	ANILINE POINT	deg C	ASTM D 611	80+/-2	82
11	AROMATICS %	% m	ASTM-D 1319	0.1 Max	<0.05

DISCLAIMER

(1) The information given here is considered to be correct is offered for your consideration investigation & verification .
(2) No warranties are expressed or implied since the use of products are beyond our control.

Tested By

Approved by

QC Chemist

Manager QC

FM/QC/002,0.00;0723