



SIDHE PETROCHEMICALS PRIVATE LIMITED

R.S. No. 445,446/1,446/2,448,449,
Village Bhimasar, Taluka Anjar, District Kutch, 370240, Gujarat.

CERTIFICATE OF ANALYSIS

PRODUCT NAME KL 90 PF

S.NO	PARAMETERS	UNIT	TEST METHOD	SPECIFICATION	TYPICAL VALUES
1	Appearance @ 20°C		VISUAL	BRIGHT & CLEAR	BRIGHT & CLEAR
2	Density @ 29.5 °C	g/ml	ASTD D1298	0.755 Typ	0.751
3	Color, Saybolt		ASTM D 156	30 Max	30
4	Flash Point	°C	ASTM D 93	Min 70	73
5	IBP	°C	ASTM D 86	160 Min	172
6	FBP	°C	ASTM D 86	260 Max	246
7	K.Viscosity @ 40°C	mm ² /s	ASTM D 445	1.6, Typ	1.5
8	Pour Point	°C	ASTM D 97	<-30	-36

DISCLAIMER

- (1) The information given here is considered to be correct is offered for your consideration investigation & verification .
- (2) No warranties are expressed or implied since the use of products are beyoud our control.

Tested By

Approved by

Q C Chemist

Manager QC

FM/QC/002,0.00;0723