



# SIDHE PETROCHEMICALS PRIVATE LIMITED

R.S. No. 445,446/1,446/2,448,449,  
Village Bhimasar, Taluka Anjar, District Kutch, 370240, Gujarat.

## CERTIFICATE OF ANALYSIS

PRODUCT NAME **SH 105 PF**

S.NO	CHARACTERISTICS	UNIT	TEST METHOD	SPECIFICATION	TYPICAL VALUES
1	APPEARANCE@ 20°C	-	VISUAL	BRIGHT & CLEAR	BRIGHT & CLEAR
2	DENSITY @ 29.5 °C	g/ml	ASTD D1298	0.780 Max	0.762
3	COLOR, Saybolt		ASTM D 156	30 Max	30
4	FLASH POINT	deg C	ASTM D 93	Min 100	116
5	IBP	deg C	ASTM D 86	230 Min.	262
6	FBP	deg C	ASTM D 86	300 Max	298
7	KIN.VISCOSITY @ 40 °C	mm <sup>2</sup> /s	ASTM D 445	2.8 Max	2.63
8	POUR POINT	deg C	ASTM D 97	> 0	9

### DISCLAIMER

- (1) The information given here is considered to be correct is offered for your consideration investigation & verification .  
(2) No warranties are expressed or implied since the use of products are beyond our control.

**Tested By**

**Approved by**

**Q C Chemist**

**Manager QC**

FM/QC/002,0.00;0723