



SIDHE PETROCHEMICALS PRIVATE LIMITED

R.S. No. 445,446/1,446/2,448,449, Village Bhimasar,
Taluka Anjar, District Kutch, 370240, Gujarat.

CERTIFICATE OF ANALYSIS

PRODUCT NAME SH 120 DA

S.NO	CHARACTERISTICS	UNIT	TEST METHOD	SPECIFICATION	TYPICAL VALUES
1	APPEARANCE	-	VISUAL	BRIGHT & CLEAR	BRIGHT & CLEAR
2	DENSITY @ 29.5 °C	g/ml	ASTD D1298	0.800 - 0.820	0.805
3	COLOR, Saybolt	-	ASTM D 156	Min 30	30
4	FLASH POINT	deg C	ASTM D 93	Min 115	122
5	IBP	deg C	ASTM D 86	Min 250	258
6	FBP	deg C	ASTM D 86	Max 320	310
8	KIN.VISCOSITY @ 40 °C	mm ² /s	ASTM D 445	Report	3.44
9	POUR POINT	deg C	ASTM D 97	-48 Max	< - 60

DISCLAIMER

- (1) The information given here is considered to be correct is offered for your consideration investigation & verification .
(2) No warranties are expressed or implied since the use of products are beyond our control.

Tested By

Approved by

Q C Chemist

Manager QC

FM/QC/002,0.00;0723