



SIDHE PETROCHEMICALS PRIVATE LIMITED

R.S. No. 445,446/1,446/2,448,449,
Village Bhimasar, Taluka Anjar, District Kutch, 370240, Gujarat.

CERTIFICATE OF ANALYSIS

PRODUCT NAME SH 90 DA

SR.NO.	CHARACTERISTICS	TEST METHOD	UNIT	SPECIFICATIONS	TYPICAL VALUES
1	Appearance	Visual	-	Bright & Clear	Bright & Clear
2	Color Saybolt	ASTM D 156	-	+30	30
3	Density @ 29.5 °C	ASTD D1298	g/ml	≥ 0.795	0.801
4	Kin.Viscosity @ 40 °C	ASTM D 445	mm ² /s	≤ 2.5	2.34
6	IBP	ASTM D 86	°C	190 Min	230
7	FBP	ASTM D 86	°C	330 Max	300
8	Flash Point	ASTM D 93	°C	90 Min	94
9	Pour Point	ASTM D 97 / D 5950	°C	-39 Max	(< -42)
10	Aniline Point	ASTM D 611	°C	76 Min	84
11	Aromatics Content	IP 391	mass %	≤ 0.5	< 0.04

DISCLAIMER

- (1) The information given here is considered to be correct is offered for your consideration investigation & verification .
(2) No warranties are expressed or implied since the use of products are beyond our control.

Tested By

Approved by

Q C Chemist

Manager QC

FM/QC/002,0.00;0723