



SIDHE PETROCHEMICALS PRIVATE LIMITED

R.S. No. 445,446/1,446/2,448,449,
Village Bhimasar, Taluka Anjar, District Kutch, 370240, Gujarat.

CERTIFICATE OF ANALYSIS

PRODUCT NAME KLAT 10

S.NO	PARAMETERS	UNIT	TEST METHOD	SPECIFICATION	TEST RESULT
1	Appearance	-	Visual	Transparent colourless bright and clear Oily Liquid	Transparent colourless bright and clear Oily Liquid
2	Colour	-	ASTM D 156	+25 (Min)	+30
3	Density @ 29.5 Deg.C	g/ml	ASTM D1298	0.815-0.860	0.8380
4	K. Viscosity @ 40°C, cSt	cSt	ASTM D 445/ ASTM D 7042	9 to 11	11.40
5	Pour Point, Deg. C	Deg. C	ASTMD 97	-20 Max	-33
6	Flash Point, Deg. C	Deg. C	ASTM D 92	150 Min	176
7	Neutralisation Value mgKOH/gm	mgKOH/gm	ASTM D 974	0.01 max	0.0075
8	U.V. Absorbance , Abs/cm		CFR 178.3620(b)		
	280-289 nm			4.0 Max	0.4230
	290-299 nm			3.3 Max	0.1255
	300-329 nm			2.3 Max	0.102
	330-350 nm			0.8 Max	0.0962

DISCLAIMER

- (1) The information given here is considered to be correct is offered for your consideration investigation & verification .
- (2) No warranties are expressed or implied since the use of products are beyond our control.
- (3) Store Condition : Store in cool & dry covered place, away from direct sunlight and misture.

Tested By

Q C Chemist

Approved by

Manager QC

FM/QC/002,0.00;0723