



**WHITE PETROLEUM JELLY IP/BP/USP/EP**  
**HIGH PURITY, MULTI-USE PETROLEUM JELLY or SOFT PARAFFIN**  
**Manufactured by: Sidhe Petrochemicals, Gujarat**  
**GMP & GLP Certified | FDA-Approved Facility | Halal & Kosher Certified Facility**

Sidhe Petrochemicals proudly presents White Petroleum Jelly (WPJ), also called petrolatum, White Petrolatum & Soft Paraffin. It is a mixture of mineral oils and waxes that form a semisolid jelly-like substance suitable for diverse industrial and consumer applications. Produced at our state-of-the-art GMP (Good Manufacturing Practices) and GLP (Good Laboratory Practices) certified facility, our WPJ complies with the highest global quality benchmarks.

**APPLICATIONS IN PHARMACEUTICALS, COSMETICS, PERSONAL CARE & SKINCARE SEGMENTS**

- **Pharmaceuticals:** Used as carrier in Active Pharmaceutical Ingredients (APIs), Ointments.
- **Food & Flavour Industry:** Acts as Lubricant in Food Processing equipment's (E.g. in meat Processing Machines)
- **Cosmetics & Personal Care:** Used for the manufacturing of Lip balms, Vaseline, hair pomades and Styling products for Frizz Control. Act as base in mascaras, foundation and Lipsticks.

## **PRODUCT SPECIFICATIONS (As per IP 2022)**

Sr. No.	Test	Unit	Test Method	Specification	Result of a
1	Description	-	-	A white, translucent, soft mass, retaining these characteristics on storage and when melted and allowed to cool without stirring: not more than slightly fluorescent by daylight, even melted; odorless when rubbed on the skin.	A white, translucent, soft mass, retaining these characteristics on storage and when melted and allowed to cool without stirring: not more than slightly fluorescent by daylight, even melted; odorless when rubbed on the skin.
2	Melting Range	°C	IP 2022	38° to 56°	52
3	Acidity or alkalinity	-	IP 2022	0.1 max	NIL
4	Light absorption 290 nm	-	IP 2022	0.5 max	0.108
5	Fixed oils, Fats and resin	-	IP 2022	Complies	Complies
6	Consistency	-	IP 2022	100 To 300	169
7	Sulphated ash	-	IP 2022	0.1 max	0.026
8	Foreign Organic Matter	-	--	Shall not emit acrid odour.	Acrid odour not emitted.
9	Microbial Limits	-	---	<10 CFU	Complies

## **REGULATORY COMPLIANCE & SAFETY STANDARDS**

- Manufactured under FDA-approved GMP & GLP conditions.
- Halal and Kosher certified facility.
- Conforms to IP 2022 specifications.

## **STORAGE & PACKAGING**

- Available in HDPE containers.
- **Shelf Life:** More than two years from date of manufacture under cool, dry storage conditions, away from direct sunlight. Retesting is recommended after two years.

## **WHY CHOOSE SIDHE PETROCHEMICALS?**

- ✓ GMP & GLP Certified Manufacturing Facility
- ✓ Consistent Purity & Compliance with IP Standards
- ✓ Stringent Quality Control & Analytical Testing
- ✓ Regulatory Certifications (Halal, Kosher, FDA)
- ✓ Prompt Customer Support & Reliable Supply Chain

**For inquiries, technical specifications, or samples, please contact:**

**Mobile: +91-9561190699 [Kunal Kumar Singh]**

**Email: [kunalk@sidhepetrochemical.com](mailto:kunalk@sidhepetrochemical.com)**

